



## DRIP IRRIGATION FITTINGS ACCESSORIES

# DRIP IRRIGATION FITTINGS

## ACCESSORIES



### SAND FILTER

Provides water purification from sealing rubber inserted outlet

Product code	Size	Bag quantity	Box quantity	Box weight
020 MFL C20 030 000	20 mm x 300 µm	-	100	5,1 kg
020 MFL C20 050 000	20 mm x 500 µm	-	100	5,1 kg



### MALE THREADED SAND FILTER

Provides water purification from female threaded outlet

020 MFL M04 030 000	¾" x 300 µm	-	100	4,9 kg
020 MFL M04 050 000	¾" x 500 µm	-	100	4,9 kg



### PIPE HANGER

Used to hang medium/thick wall driplines

016 WRO 000 000 000	16 mm	100	2200	5,6 kg
020 WRO 000 000 000	20 mm	100	2000	5,7 kg



### PIPE SUPPORTING HANGER

Used to hang medium/thick wall driplines

016 WRL 150 000 000	16 mm x 15 cm	100	600	5,4 kg
020 WRL 150 000 000	20 mm x 15 cm	100	500	5 kg



### PIPE ANCHOR

Used to fix medium/thick wall driplines

150 ANC 000 000 000	15 cm	-	275	4,3 kg
225 ANC 000 000 000	22,5 cm	-	225	4,9 kg
300 ANC 000 000 000	30 cm	-	175	5 kg



### PIPE RATCHET CLIP

Used on barbed fittings to ensure secure connection

016 CLP 000 000 000	16 mm	1000	4000	8 kg
020 CLP 000 000 000	20 mm	500	3000	7,3 kg



### LOCKING NUT

Screwed onto male thread to tighten locking adaptor attached medium/thick wall dripline for secure connection

016 GSV F03 000 016	16 mm x ½"	50	700	6,2 kg
016 GSV F04 000 016	16 mm x ¾"	50	600	6,6 kg
020 GSV F04 000 020	20 mm x ¾"	50	500	5,6 kg



### LOCKING ADAPTOR

Attached into medium/thick wall dripline and tightened with locking nut for secure connection

016 GAV G16 000 K16	16 x 16 mm	100	2700	7,5 kg
016 GAV G20 000 K16	20 x 16 mm	50	2000	8,5 kg
020 GAV G20 000 K20	20 x 20 mm	50	1900	10 kg

# DRIP IRRIGATION FITTINGS ACCESSORIES



## NUT

Screwed onto male thread to tighten thin/medium wall dripline

Product code	Size	Bag quantity	Box quantity	Box weight
016 SSS S16 000 S16	16 mm	50	1800	6,6 kg
020 SSS S20 000 S20	20 mm	50	1300	4,6 kg
022 SSS S22 000 S22	22 mm	50	1100	4,2 kg
025 SSS S25 000 S25	25 mm	50	650	4 kg



## BARBED FITTINGS INSERTION TOOL

Used to insert barb fittings to thick wall driplines

016 KTA 000 000 000	16 mm	5	75	2 kg
020 KTA 000 000 000	20 mm	5	75	2,2 kg



## LAY FLAT STAINLESS STEEL CLAMP

Clamps around the lay flat pipe to connect the pipe to fitting

050 LFC 051 000 059	51-59 mm	-	225	16 kg
063 LFC 063 000 072	63-72 mm	-	175	13,4 kg
075 LFC 076 000 084	76-84 mm	-	125	10 kg
100 LFC 101 000 110	101-110 mm	-	100	9,3 kg
125 LFC 127 000 135	127-135 mm	-	75	7,5 kg
150 LFC 152 000 160	152-160 mm	-	50	5,6 kg

## DRIPLINE PERFORATOR



Product code	Size
002 DDA 000 000 000	2 mm
003 DDA 000 000 000	3 mm
004 DDA 000 000 000	4 mm

## DRIPLINE PUNCH



Product code	Size
002 DMA 000 000 000	2 mm
003 DMA 000 000 000	3 mm
004 DMA 000 000 000	4 mm

## LAY FLAT PUNCH



014 LDA 000 000 000	14 mm
015 LDA 000 000 000	15 mm
016 LDA 000 000 000	16 mm
017 LDA 000 000 000	17 mm

## MANUAL PUNCH



014 BDA D14 000 000	14 mm (C14)
019 BDA D19 000 000	19 mm (C16)
022 BDA D22 000 000	22 mm (C20)
026 BDA D26 000 000	26 mm (C25)

## PIPE DRILL



014 BDM D14 000 000	14 mm (C14)
016 BDM D16 000 000	16 mm (C15)
019 BDM D19 000 000	19 mm (C16)
022 BDM D22 000 000	22 mm (C20)
026 BDM D26 000 000	26 mm (C25)

## ECO PIPE DRILL



014 BMU D14 000 000	14 mm (C14)
019 BMU D19 000 000	19 mm (C16)
022 BMU D22 000 000	22 mm (C20)
026 BMU D26 000 000	26 mm (C25)

## LAY FLAT BOLT PUNCH



009 LFA 000 000 000	9 mm
010 LFA 000 000 000	10 mm
013 LFA 000 000 000	13 mm

## THREAD SEAL TAPE



000 TFL 012 076 010	10 m
---------------------	------



**HEADQUARTERS**

Orhan Gazi Mah. Isiso San. Sit.  
15. Yol Y Blok No: 33 34538  
Esenyurt, İstanbul, Turkey  
+90 212 623 23 08

**FACTORY**

Organize Sanayi Bölgesi Bursa  
Karayolu 6. km. 2. Cd. No: 2  
Çanakkale, Turkey  
+90 286 214 32 07

**Website** [www.sunstream.com.tr](http://www.sunstream.com.tr) | **Support** [info@sunstream.com.tr](mailto:info@sunstream.com.tr)

© 2022 İSKO Plastik ve Kalıp San. Tic. A.Ş.