



PE PIPE FITTINGS
COMPRESSION FITTINGS

PE PIPE FITTINGS

COMPRESSION FITTINGS



MALE ADAPTOR

Connects pe flexible pipe to female threaded outlet

Pressure values:

20-110 mm: PN16

Product code	Size	Box quantity	Box weight
020 BAM M03 000 020	20 mm x 1/2"	250	8,1 kg
020 BAM M04 000 020	20 mm x 3/4"	250	8,3 kg
025 BAM M03 000 025	25 mm x 1/2"	150	7,4 kg
025 BAM M04 000 025	25 mm x 3/4"	150	7,6 kg
025 BAM M10 000 025	25 mm x 1"	150	7,8 kg
032 BAM M03 000 032	32 mm x 1/2"	85	7,1 kg
032 BAM M04 000 032	32 mm x 3/4"	85	7,3 kg
032 BAM M10 000 032	32 mm x 1"	85	7,6 kg
032 BAM M12 000 032	32 mm x 1 1/4"	85	7,6 kg
040 BAM M04 000 040	40 mm x 3/4"	40	7,1 kg
040 BAM M10 000 040	40 mm x 1"	40	7,1 kg
040 BAM M12 000 040	40 mm x 1 1/4"	40	7,1 kg
040 BAM M13 000 040	40 mm x 1 1/2"	40	7,1 kg
050 BAM M10 000 050	50 mm x 1"	25	5,5 kg
050 BAM M12 000 050	50 mm x 1 1/4"	25	5,5 kg
050 BAM M13 000 050	50 mm x 1 1/2"	25	5,5 kg
050 BAM M20 000 050	50 mm x 2"	25	5,5 kg
063 BAM M10 000 063	63 mm x 1"	20	6,7 kg
063 BAM M12 000 063	63 mm x 1 1/4"	20	6,7 kg
063 BAM M13 000 063	63 mm x 1 1/2"	20	6,7 kg
063 BAM M20 000 063	63 mm x 2"	16	5,1 kg
063 BAM M23 000 063	63 mm x 2 1/2"	16	5,1 kg
075 BAM M20 000 075	75 mm x 2"	15	7,4 kg
075 BAM M23 000 075	75 mm x 2 1/2"	15	7,5 kg
075 BAM M30 000 075	75 mm x 3"	15	7,5 kg
090 BAM M23 000 090	90 mm x 2 1/2"	10	9,6 kg
090 BAM M30 000 090	90 mm x 3"	10	9,7 kg
090 BAM M40 000 090	90 mm x 4"	10	9,7 kg
110 BAM M30 000 110	110 mm x 3"	6	10,8 kg
110 BAM M40 000 110	110 mm x 4"	6	10,8 kg

PE PIPE FITTINGS COMPRESSION FITTINGS



FEMALE ADAPTOR

Connects pe pipe to male threaded outlet

Pressure values:

20-110 mm: PN16

Product code	Size	Box quantity	Box weight
020 BAF F03 000 020	20 mm x 1/2"	250	5,7 kg
020 BAF F04 000 020	20 mm x 3/4"	250	5,7 kg
025 BAF F03 000 025	25 mm x 1/2"	150	7,8 kg
025 BAF F04 000 025	25 mm x 3/4"	150	8,1 kg
025 BAF F10 000 025	25 mm x 1"	150	8,4 kg
032 BAF F03 000 032	32 mm x 1/2"	85	7,4 kg
032 BAF F04 000 032	32 mm x 3/4"	85	8,2 kg
032 BAF F10 000 032	32 mm x 1"	85	7,9 kg
032 BAF F12 000 032	32 mm x 1 1/4"	85	8 kg
032 BAF F13 000 032	32 mm x 1 1/2"	85	8 kg
040 BAF F10 000 040	40 mm x 1"	40	7,4 kg
040 BAF F12 000 040	40 mm x 1 1/4"	40	7,5 kg
040 BAF F13 000 040	40 mm x 1 1/2"	40	7,6 kg
050 BAF F10 000 050	50 mm x 1"	25	5,8 kg
050 BAF F12 000 050	50 mm x 1 1/4"	25	5,8 kg
050 BAF F13 000 050	50 mm x 1 1/2"	25	5,8 kg
050 BAF F20 000 050	50 mm x 2"	25	5,8 kg
063 BAF F10 000 063	63 mm x 1"	20	6,5 kg
063 BAF F12 000 063	63 mm x 1 1/4"	20	6,5 kg
063 BAF F13 000 063	63 mm x 1 1/2"	20	6,5 kg
063 BAF F20 000 063	63 mm x 2"	16	5,4 kg
075 BAF F20 000 075	75 mm x 2"	15	11,2 kg
075 BAF F23 000 075	75 mm x 2 1/2"	15	11,4 kg
075 BAF F30 000 075	75 mm x 3"	15	11,6 kg
090 BAF F23 000 090	90 mm x 2 1/2"	10	10,6 kg
090 BAF F30 000 090	90 mm x 3"	10	10,6 kg
110 BAF F30 000 110	110 mm x 3"	6	10,9 kg
110 BAF F40 000 110	110 mm x 4"	6	10,3 kg

PE PIPE FITTINGS

COMPRESSION FITTINGS



COUPLING

Joins pe pipes
Pressure values:
20-110 mm: PN16

Product code	Size	Box quantity	Box weight
020 BCO 020 000 020	20 x 20 mm	150	8,4 kg
025 BCO 025 000 025	25 x 25 mm	90	7,7 kg
032 BCO 032 000 032	32 x 32 mm	50	7,4 kg
040 BCO 040 000 040	40 x 40 mm	25	8 kg
050 BCO 050 000 050	50 x 50 mm	15	6 kg
063 BCO 063 000 063	63 x 63 mm	9	4,9 kg
075 BCO 075 000 075	75 x 75 mm	9	7 kg
090 BCO 090 000 090	90 x 90 mm	7	8,3 kg
110 BCO 110 000 110	110 x 110 mm	4	7,4 kg



ELBOW COUPLING

Creates a corner in pe pipes
Pressure values:
20-110 mm: PN16

020 BEL 020 000 020	20 x 20 mm	150	8,7 kg
025 BEL 025 000 025	25 x 25 mm	90	8,3 kg
032 BEL 032 000 032	32 x 32 mm	45	7,4 kg
040 BEL 040 000 040	40 x 40 mm	25	8,7 kg
050 BEL 050 000 050	50 x 50 mm	15	6,6 kg
063 BEL 063 000 063	63 x 63 mm	8	4,9 kg
075 BEL 075 000 075	75 x 75 mm	8	7,8 kg
090 BEL 090 000 090	90 x 90 mm	7	9,2 kg
110 BEL 110 000 110	110 x 110 mm	4	8,2 kg



MALE ADAPTOR ELBOW

Provides a bend with a male thread in pe pipes
Pressure values:
20-110 mm: PN16

020 BEM M03 000 020	20 mm x 1/2"	210	7,6 kg
020 BEM M04 000 020	20 mm x 3/4"	160	7,6 kg
025 BEM M03 000 025	25 mm x 1/2"	130	7,2 kg
025 BEM M04 000 025	25 mm x 3/4"	130	7,7 kg
025 BEM M10 000 025	25 mm x 1"	110	7,7 kg
032 BEM M03 000 032	32 mm x 1/2"	70	6,3 kg
032 BEM M04 000 032	32 mm x 3/4"	70	6,7 kg
032 BEM M10 000 032	32 mm x 1"	70	7,3 kg
032 BEM M12 000 032	32 mm x 1 1/4"	70	7,3 kg
040 BEM M10 000 040	40 mm x 1"	35	9,1 kg
040 BEM M12 000 040	40 mm x 1 1/4"	35	8,3 kg
040 BEM M13 000 040	40 mm x 1 1/2"	35	8,7 kg
050 BEM M10 000 050	50 mm x 1"	20	7,3 kg
050 BEM M12 000 050	50 mm x 1 1/4"	20	7,3 kg
050 BEM M13 000 050	50 mm x 1 1/2"	20	7,3 kg
063 BEM M10 000 063	63 mm x 1"	15	6,3 kg
063 BEM M12 000 063	63 mm x 1 1/4"	15	6,3 kg
063 BEM M13 000 063	63 mm x 1 1/2"	15	6,3 kg
063 BEM M20 000 063	63 mm x 2"	15	6,3 kg
075 BEM M20 000 075	75 mm x 2"	15	7,5 kg
075 BEM M23 000 075	75 mm x 2 1/2"	15	7,5 kg
075 BEM M30 000 075	75 mm x 3"	15	7,5 kg
090 BEM M23 000 090	90 mm x 2 1/2"	7	9,7 kg
090 BEM M30 000 090	90 mm x 3"	7	9,2 kg
110 BEM M30 000 110	110 mm x 3"	4	8,3 kg
110 BEM M40 000 110	110 mm x 4"	4	8,3 kg

PE PIPE FITTINGS COMPRESSION FITTINGS



FEMALE ADAPTOR ELBOW

Provides a bend with a
female thread in pe pipes

Pressure values:
20-110 mm: PN16

Product code	Size	Box quantity	Box weight
020 BEF F03 000 020	20 mm x 1/2"	175	8,7 kg
020 BEF F04 000 020	20 mm x 3/4"	175	7,9 kg
025 BEF F03 000 025	25 mm x 1/2"	105	8,5 kg
025 BEF F04 000 025	25 mm x 3/4"	105	8,5 kg
025 BEF F10 000 025	25 mm x 1"	105	7,6 kg
032 BEF F03 000 032	32 mm x 1/2"	65	8,3 kg
032 BEF F04 000 032	32 mm x 3/4"	65	8 kg
032 BEF F10 000 032	32 mm x 1"	65	7,4 kg
040 BEF F04 000 040	40 mm x 3/4"	35	10,2 kg
040 BEF F10 000 040	40 mm x 1"	35	10,2 kg
040 BEF F12 000 040	40 mm x 1 1/4"	35	9,2 kg
040 BEF F13 000 040	40 mm x 1 1/2"	35	9,2 kg
050 BEF F10 000 050	50 mm x 1"	20	5,7 kg
050 BEF F12 000 050	50 mm x 1 1/4"	20	5,7 kg
050 BEF F13 000 050	50 mm x 1 1/2"	20	5,7 kg
050 BEF F20 000 050	50 mm x 2"	20	5,7 kg
063 BEF F10 000 063	63 mm x 1"	15	10,5 kg
063 BEF F12 000 063	63 mm x 1 1/4"	15	10,5 kg
063 BEF F13 000 063	63 mm x 1 1/2"	15	10,8 kg
063 BEF F20 000 063	63 mm x 2"	15	10 kg
075 BEF F20 000 075	75 mm x 2"	15	15 kg
075 BEF F23 000 075	75 mm x 2 1/2"	15	13,6 kg
075 BEF F30 000 075	75 mm x 3"	15	13,3 kg
090 BEF F23 000 090	90 mm x 2 1/2"	7	10,5 kg
090 BEF F30 000 090	90 mm x 3"	7	9,7 kg
110 BEF F30 000 110	110 mm x 3"	4	8,7 kg
110 BEF F40 000 110	110 mm x 4"	4	8,7 kg

PE PIPE FITTINGS

COMPRESSION FITTINGS



MALE ADAPTOR TEE

Provides a branch with a male thread in pe pipes

Pressure values:

20-110 mm: PN16

Product code	Size	Box quantity	Box weight
020 BTM 020 M03 020	20 mm x 1/2"	100	6,8 kg
020 BTM 020 M04 020	20 mm x 3/4"	100	6,9 kg
025 BTM 025 M03 025	25 mm x 1/2"	70	7 kg
025 BTM 025 M04 025	25 mm x 3/4"	70	7,1 kg
025 BTM 025 M10 025	25 mm x 1"	70	6,4 kg
032 BTM 032 M03 032	32 mm x 1/2"	35	6 kg
032 BTM 032 M04 032	32 mm x 3/4"	35	6 kg
032 BTM 032 M10 032	32 mm x 1"	35	6,3 kg
040 BTM 040 M04 040	40 mm x 3/4"	20	6,7 kg
040 BTM 040 M10 040	40 mm x 1"	20	6,7 kg
040 BTM 040 M12 040	40 mm x 1 1/4"	20	6,7 kg
040 BTM 040 M13 040	40 mm x 1 1/2"	20	6,7 kg
050 BTM 050 M10 050	50 mm x 1"	10	8,4 kg
050 BTM 050 M12 050	50 mm x 1 1/4"	10	8,4 kg
050 BTM 050 M13 050	50 mm x 1 1/2"	10	8,2 kg
063 BTM 063 M10 063	63 mm x 1"	7	7,4 kg
063 BTM 063 M12 063	63 mm x 1 1/4"	7	7,4 kg
063 BTM 063 M13 063	63 mm x 1 1/2"	7	7,4 kg
063 BTM 063 M20 063	63 mm x 2"	7	7,4 kg
075 BTM 075 M20 075	75 mm x 2"	5	8 kg
075 BTM 075 M23 075	75 mm x 2 1/2"	5	7,8 kg
090 BTM 090 M23 090	90 mm x 2 1/2"	3	7 kg
090 BTM 090 M30 090	90 mm x 3"	3	6,9 kg
110 BTM 110 M30 110	110 mm x 3"	2	8,7 kg
110 BTM 110 M40 110	110 mm x 4"	2	8,4 kg

PE PIPE FITTINGS COMPRESSION FITTINGS



FEMALE ADAPTOR TEE

Provides a branch with a female thread in pe pipes

Pressure values:

20-110 mm: PN16

Product code	Size	Box quantity	Box weight
020 BTF 020 F03 020	20 mm x 1/2"	100	7,5 kg
020 BTF 020 F04 020	20 mm x 3/4"	100	7,5 kg
025 BTF 025 F03 025	25 mm x 1/2"	60	7,4 kg
025 BTF 025 F04 025	25 mm x 3/4"	60	7,1 kg
025 BTF 025 F10 025	25 mm x 1"	60	7,1 kg
032 BTF 032 F03 032	32 mm x 1/2"	35	6,7 kg
032 BTF 032 F04 032	32 mm x 3/4"	35	6,6 kg
032 BTF 032 F10 032	32 mm x 1"	35	6,5 kg
040 BTF 040 F04 040	40 mm x 3/4"	20	6,7 kg
040 BTF 040 F10 040	40 mm x 1"	20	6,7 kg
040 BTF 040 F12 040	40 mm x 1 1/4"	20	6,7 kg
040 BTF 040 F13 040	40 mm x 1 1/2"	20	6,7 kg
050 BTF 050 F10 050	50 mm x 1"	10	8,4 kg
050 BTF 050 F12 050	50 mm x 1 1/4"	10	8,4 kg
050 BTF 050 F13 050	50 mm x 1 1/2"	10	8,2 kg
050 BTF 050 F20 050	50 mm x 2"	10	8,2 kg
063 BTF 063 F10 063	63 mm x 1"	7	8,3 kg
063 BTF 063 F12 063	63 mm x 1 1/4"	7	8,1 kg
063 BTF 063 F13 063	63 mm x 1 1/2"	7	8,1 kg
063 BTF 063 F20 063	63 mm x 2"	7	7,9 kg
075 BTF 075 F20 075	75 mm x 2"	5	8,2 kg
075 BTF 075 F23 075	75 mm x 2 1/2"	5	7,9 kg
090 BTF 090 F23 090	90 mm x 2 1/2"	3	7,1 kg
090 BTF 090 F30 090	90 mm x 3"	3	6,9 kg
110 BTF 110 F30 110	110 mm x 3"	2	8,8 kg
110 BTF 110 F40 110	110 mm x 4"	2	8,8 kg



TEE COUPLING

Provides a branch in pe pipes

Pressure values:

20-110 mm: PN16

020 BTE 020 020 020	20 x 20 mm	85	7,4 kg
025 BTE 025 025 025	25 x 25 mm	50	6,7 kg
032 BTE 032 032 032	32 x 32 mm	30	6,9 kg
040 BTE 040 040 040	40 x 40 mm	15	7,2 kg
050 BTE 050 050 050	50 x 50 mm	10	7,4 kg
063 BTE 063 063 063	63 x 63 mm	7	6 kg
075 BTE 075 075 075	75 x 75 mm	5	9,7 kg
090 BTE 090 090 090	90 x 90 mm	3	8,5 kg
110 BTE 110 110 110	110 x 110 mm	2	6 kg

PE PIPE FITTINGS

COMPRESSION FITTINGS



REDUCTION COUPLING

Joins pe pipes of
different sizes

Pressure values:
20-110 mm: PN16

Product code	Size	Box quantity	Box weight
025 BRC 025 000 020	25 x 20 mm	100	7,4 kg
032 BRC 032 000 020	32 x 20 mm	55	6,2 kg
032 BRC 032 000 025	32 x 25 mm	55	6,9 kg
040 BRC 040 000 025	40 x 25 mm	30	6 kg
040 BRC 040 000 032	40 x 32 mm	30	6,7 kg
050 BRC 050 000 032	50 x 32 mm	20	6,5 kg
050 BRC 050 000 040	50 x 40 mm	20	7,3 kg
063 BRC 063 000 032	63 x 32 mm	9	5,3 kg
063 BRC 063 000 040	63 x 40 mm	9	5,3 kg
063 BRC 063 000 050	63 x 50 mm	9	6,1 kg
075 BRC 075 000 040	75 x 40 mm	9	8 kg
075 BRC 075 000 050	75 x 50 mm	9	8 kg
075 BRC 075 000 063	75 x 63 mm	9	9,1 kg
090 BRC 090 000 063	90 x 63 mm	7	9,1 kg
090 BRC 090 000 075	90 x 75 mm	7	10,2 kg
110 BRC 110 000 075	110 x 75 mm	4	9 kg
110 BRC 110 000 090	110 x 90 mm	4	9,8 kg



REDUCTION ELBOW COUPLING

Creates a corner in pe
pipes of different sizes

Pressure values:
20-110 mm: PN16

025 BRE 025 000 020	25 x 20 mm	90	7,6 kg
032 BRE 032 000 020	32 x 20 mm	50	6,3 kg
032 BRE 032 000 025	32 x 25 mm	50	7,2 kg
040 BRE 040 000 025	40 x 25 mm	25	6,3 kg
040 BRE 040 000 032	40 x 32 mm	25	7,2 kg
050 BRE 050 000 040	50 x 40 mm	15	6,7 kg
063 BRE 063 000 040	63 x 40 mm	8	4,9 kg
063 BRE 063 000 050	63 x 50 mm	8	5,3 kg
075 BRE 075 000 063	75 x 63 mm	8	7,4 kg
090 BRE 090 000 075	90 x 75 mm	7	8,5 kg
110 BRE 110 000 075	110 x 75 mm	4	6,7 kg
110 BRE 110 000 090	110 x 90 mm	4	7,6 kg

PE PIPE FITTINGS COMPRESSION FITTINGS



REDUCTION TEE COUPLING

Provides a branch in pe
pipes of different sizes

Pressure values:

20-110 mm: PN16

Product code	Size	Box quantity	Box weight
025 BRT 025 020 025	25 x 20 mm	50	7,5 kg
032 BRT 032 020 032	32 x 20 mm	30	6,2 kg
032 BRT 032 025 032	32 x 25 mm	30	6,2 kg
040 BRT 040 025 040	40 x 25 mm	20	7,6 kg
040 BRT 040 032 040	40 x 32 mm	20	7,6 kg
050 BRT 050 032 050	50 x 32 mm	10	6,4 kg
050 BRT 050 040 050	50 x 40 mm	10	6,4 kg
063 BRT 063 032 063	63 x 32 mm	7	7,7 kg
063 BRT 063 040 063	63 x 40 mm	7	8,1 kg
063 BRT 063 050 063	63 x 50 mm	7	8,4 kg
075 BRT 075 050 075	75 x 50 mm	5	8,8 kg
075 BRT 075 063 075	75 x 63 mm	5	9,3 kg
090 BRT 090 063 090	90 x 63 mm	3	7,8 kg
090 BRT 090 075 090	90 x 75 mm	3	8,1 kg
110 BRT 110 063 110	110 x 63 mm	2	9 kg
110 BRT 110 075 110	110 x 75 mm	2	9,3 kg
110 BRT 110 090 110	110 x 90 mm	2	9,5 kg



END PLUG COUPLING

Closes the end of pe pipe

Pressure values:

20-110 mm: PN16

020 BKT 020 000 000	20 mm	300	8,9 kg
025 BKT 025 000 000	25 mm	200	9,1 kg
032 BKT 032 000 000	32 mm	100	7,9 kg
040 BKT 040 000 000	40 mm	50	8 kg
050 BKT 050 000 000	50 mm	30	7,1 kg
063 BKT 063 000 000	63 mm	20	5,8 kg
075 BKT 075 000 000	75 mm	20	9,4 kg
090 BKT 090 000 000	90 mm	15	9,5 kg
110 BKT 110 000 000	110 mm	6	10,2 kg



HEADQUARTERS

Orhan Gazi Mah. Isiso San. Sit.
15. Yol Y Blok No: 33 34538
Esenyurt, İstanbul, Turkey
+90 212 623 23 08

FACTORY

Organize Sanayi Bölgesi Bursa
Karayolu 6. km. 2. Cd. No: 2
Çanakkale, Turkey
+90 286 214 32 07

Website www.sunstream.com.tr | **Support** info@sunstream.com.tr

© 2022 İSKO Plastik ve Kalıp San. Tic. A.Ş.