



SPRINKLER IRRIGATION FITTINGS

SPRINKLER IRRIGATION FITTINGS



CROSS WITH LATCH

Provides a 2-way branch in latch type sprinkler irrigation pipes of same/different sizes

Product code	Size	Sack quantity	Sack weight
063 IES 063 000 063	63 x 63 mm	20	11,4 kg
075 IES 075 000 063	75 x 63 mm	15	14,5 kg
075 IES 075 100 063	75 x 63 mm	15	15,5 kg
075 IES 075 000 075	75 x 75 mm	10	11,4 kg
075 IES 075 101 075	75 x 75 mm	10	13 kg
090 IES 090 000 075	90 x 75 mm	10	13,1 kg
090 IES 090 100 075	90 x 75 mm	10	13,9 kg
090 IES 090 101 075	90 x 75 mm	10	15,1 kg
090 IES 090 000 090	90 x 90 mm	10	15,3 kg
090 IES 090 101 090	90 x 90 mm	10	17,7 kg
110 IES 110 100 075	110 x 75 mm	7	12,4 kg
110 IES 110 101 075	110 x 75 mm	7	14,1 kg
110 IES 110 100 090	110 x 90 mm	7	13,8 kg
110 IES 110 101 090	110 x 90 mm	7	15,3 kg
110 IES 110 101 110	110 x 110 mm	7	17,5 kg
125 IES 125 100 075	125 x 75 mm	5	16,6 kg
125 IES 125 101 075	125 x 75 mm	5	17 kg
125 IES 125 100 090	125 x 90 mm	4	13,8 kg
125 IES 125 101 090	125 x 90 mm	4	14,5 kg
125 IES 125 101 110	125 x 110 mm	4	14,8 kg
125 IES 125 101 125	125 x 125 mm	3	15,9 kg



TEE WITH LATCH

Provides a branch in latch type sprinkler irrigation pipes of same/different sizes

063 TES 063 000 063	63 x 63 mm	35	15,4 kg
075 TES 075 000 063	75 x 63 mm	20	14,8 kg
075 TES 075 100 063	75 x 63 mm	20	16 kg
075 TES 075 000 075	75 x 75 mm	20	17 kg
075 TES 075 101 075	75 x 75 mm	20	20,6 kg
090 TES 090 000 075	90 x 75 mm	15	16,4 kg
090 TES 090 100 075	90 x 75 mm	15	17,6 kg
090 TES 090 101 075	90 x 75 mm	15	19,4 kg
090 TES 090 000 090	90 x 90 mm	15	16,9 kg
090 TES 090 101 090	90 x 90 mm	15	20,5 kg
110 TES 110 100 075	110 x 75 mm	10	16,6 kg
110 TES 110 101 075	110 x 75 mm	10	17,2 kg
110 TES 110 100 090	110 x 90 mm	8	13,6 kg
110 TES 110 101 090	110 x 90 mm	8	14,4 kg
110 TES 110 101 110	110 x 110 mm	8	15,1 kg
125 TES 125 100 075	125 x 75 mm	6	18,5 kg
125 TES 125 101 075	125 x 75 mm	6	19 kg
125 TES 125 100 090	125 x 90 mm	5	15,8 kg
125 TES 125 101 090	125 x 90 mm	5	16,2 kg
125 TES 125 101 110	125 x 110 mm	5	16,4 kg
125 TES 125 101 125	125 x 125 mm	5	20,2 kg



REDUCER WITH LATCH

Joins latch type sprinkler irrigation pipes of different sizes

Product code	Size	Sack quantity	Sack weight
075 RES 075 000 050	75 x 50 mm	50	22,7 kg
075 RES 075 000 063	75 x 63 mm	50	24,1 kg
090 RES 090 000 075	90 x 75 mm	25	17,6 kg
090 RES 090 001 075	90 x 75 mm	25	19 kg
110 RES 110 000 075	110 x 75 mm	20	19,6 kg
110 RES 110 001 075	110 x 75 mm	20	20,8 kg
110 RES 110 000 090	110 x 90 mm	15	16,2 kg
110 RES 110 001 090	110 x 90 mm	15	17,8 kg
125 RES 125 000 075	125 x 75 mm	12	17,7 kg
125 RES 125 001 075	125 x 75 mm	12	18,6 kg
125 RES 125 000 090	125 x 90 mm	12	18,8 kg
125 RES 125 001 090	125 x 90 mm	12	20 kg
125 RES 125 001 110	125 x 110 mm	10	17,6 kg



ELBOW WITH LATCH

Creates a corner in latch type sprinkler irrigation pipes

050 MSD 050 000 050	50 mm	60	22,4 kg
063 MSD 063 000 063	63 mm	40	16,2 kg
075 MSD 075 000 075	75 mm	25	18,6 kg
075 MSD 075 001 075	75 mm	25	20,1 kg
090 MSD 090 000 090	90 mm	15	14,9 kg
090 MSD 090 001 090	90 mm	15	16 kg
110 MSD 110 001 110	110 mm	10	15,4 kg
125 MSD 125 001 125	125 mm	6	16,6 kg



SWAN NECK WITH LATCH

Joins latch type pump connection and sprinkler irrigation pipe with an (S) shape

Product code	Size
075 MSS 075 000 075	75 mm
075 MSS 075 001 075	75 mm
090 MSS 090 000 090	90 mm
090 MSS 090 001 090	90 mm
110 MSS 110 001 110	110 mm



HYDRANT WITH LATCH

Obtains female thread from latch type sprinkler irrigation pipe line

Product code	Size
050 MAB 050 F10 050	50 mm x 1"
063 MAB 063 F10 063	63 mm x 1"
075 MAB 075 F10 075	75 mm x 1"
090 MAB 090 F10 090	90 mm x 1"

SPRINKLER IRRIGATION

FITTINGS



FEMALE PUMP CONNECTION WITH LATCH

Obtains latch type female outlet from pump

Product code	Size	Sack quantity	Sack weight
050 MDP M13 000 050	50 mm x 1 ½"	100	25,1 kg
063 MDP M20 000 063	63 mm x 2"	100	27,1 kg
075 MDP M23 000 075	75 mm x 2 ½"	50	18,6 kg
090 MDP M30 000 090	90 mm x 3"	40	20,9 kg
110 MDP M40 000 110	110 mm x 4"	30	21,1 kg
125 MDP M43 000 125	125 mm x 4 ½"	25	22,2 kg
140 MDP M50 000 140	140 mm x 5"	10	19,2 kg
160 MDP M60 000 160	160 mm x 6"	10	18,6 kg



MALE PUMP CONNECTION WITH LATCH

Obtains latch type male outlet from pump

050 MEP M13 000 050	50 mm x 1 ½"	100	35,1 kg
063 MEP M20 000 063	63 mm x 2"	100	38,1 kg
075 MEP M23 000 075	75 mm x 2 ½"	50	27,1 kg
090 MEP M30 000 090	90 mm x 3"	40	28,5 kg
110 MEP M40 000 110	110 mm x 4"	25	23,1 kg
125 MEP M43 000 125	125 mm x 4 ½"	16	23,5 kg
140 MEP M50 000 140	140 mm x 5"	8	24,5 kg
160 MEP M60 000 160	160 mm x 6"	8	24,9 kg



MALE TRANSITION WITH LATCH

Obtains male end from female end in latch type irrigation pipes

075 MEG 075 000 075	75 mm	20	20,5 kg
090 MEG 090 000 090	90 mm	15	19 kg
110 MEG 110 000 110	110 mm	10	20,7 kg
125 MEG 125 000 125	125 mm	5	17,6 kg



FEMALE TRANSITION WITH LATCH

Obtains female end from male end in latch type irrigation pipes

075 MDG 075 000 075	75 mm	20	17,5 kg
075 MDG 075 101 075	75 mm	20	19,9 kg
090 MDG 090 000 090	90 mm	15	16,6 kg
090 MDG 090 101 090	90 mm	15	18,7 kg
110 MDG 110 101 110	110 mm	10	20,2 kg
125 MDG 125 101 125	125 mm	5	16,7 kg



LINE VALVE WITH LATCH

Used to turn off or regulate the water flow between latch type sprinkler irrigation pipes

Product code	Size	Box quantity	Box weight
050 MHE 050 000 050	50 mm	50	37,6 kg
063 MHE 063 000 063	63 mm	32	26,3 kg
075 MHE 075 000 075	75 mm	15	24,2 kg
090 MHE 090 000 090	90 mm	15	32,6 kg
110 MHE 110 000 110	110 mm	9	29,6 kg
125 MHE 125 000 125	125 mm	7	28,9 kg

SPRINKLER IRRIGATION FITTINGS



MALE END PLUG WITH LATCH

Closes the end of latch
type sprinkler irrigation
pipe

Product code	Size	Sack quantity	Sack weight
050 MEK 050 000 000	50 mm	100	11,2 kg
063 MEK 063 000 000	63 mm	100	15,2 kg
075 MEK 075 000 000	75 mm	50	14,7 kg
090 MEK 090 000 000	90 mm	30	11,9 kg
110 MEK 110 000 000	110 mm	20	12,9 kg
125 MEK 125 000 000	125 mm	10	10,9 kg



FEMALE END PLUG WITH LATCH

Closes the end of latch
type sprinkler irrigation
pipe

050 MDK 050 000 000	50 mm	100	7,4 kg
063 MDK 063 000 000	63 mm	100	9,2 kg
075 MDK 075 000 000	75 mm	50	10,5 kg
075 MDK 075 100 000	75 mm	50	13,3 kg
090 MDK 090 000 000	90 mm	30	9 kg
090 MDK 090 100 000	90 mm	30	11,4 kg
110 MDK 110 100 000	110 mm	20	9,8 kg
125 MDK 125 100 000	125 mm	10	10,5 kg



MALE HEAD WITH LATCH

Welded to the tip of pe
main pipe

050 MER 050 000 050	50 mm	100	10,2 kg
063 MER 063 000 063	63 mm	100	12,1 kg
075 MER 075 000 075	75 mm	50	12,8 kg
090 MER 090 000 090	90 mm	30	9,7 kg
110 MER 110 000 110	110 mm	20	10,7 kg
125 MER 125 000 125	125 mm	10	9,8 kg



FEMALE HEAD WITH LATCH

Welded to the tip of pe
main pipe

050 MDI 050 000 050	50 mm	100	6,2 kg
063 MDI 063 000 063	63 mm	100	6,9 kg
075 MDI 075 000 075	75 mm	50	8,4 kg
075 MDI 075 100 075	75 mm	50	11,4 kg
090 MDI 090 000 090	90 mm	30	7,3 kg
090 MDI 090 100 090	90 mm	30	9,7 kg
110 MDI 110 100 110	110 mm	20	8,3 kg
125 MDI 125 100 125	125 mm	10	8,9 kg

SPRINKLER IRRIGATION FITTINGS



CROSS WITH LATCH (FEMALE INLET)

Provides a 2-way branch in latch type sprinkler irrigation pipes of same/different sizes

Product code	Size	Sack quantity	Sack weight
063 IDS 063 000 063	63 x 63 mm	20	13,5 kg
075 IDS 075 000 063	75 x 63 mm	15	14,2 kg
075 IDS 075 100 063	75 x 63 mm	15	15 kg
075 IDS 075 000 075	75 x 75 mm	10	13,2 kg
075 IDS 075 100 075	75 x 75 mm	10	13,4 kg
090 IDS 090 000 075	90 x 75 mm	10	15,1 kg
090 IDS 090 100 075	90 x 75 mm	10	15,8 kg
090 IDS 090 000 090	90 x 90 mm	10	16,8 kg
090 IDS 090 100 090	90 x 90 mm	10	17,5 kg
110 IDS 110 100 075	110 x 75 mm	7	13,7 kg
110 IDS 110 100 090	110 x 90 mm	7	15 kg
110 IDS 110 100 110	110 x 110 mm	7	19,3 kg
125 IDS 125 100 075	125 x 75 mm	5	17,5 kg
125 IDS 125 100 090	125 x 90 mm	4	14,5 kg
125 IDS 125 100 110	125 x 110 mm	4	15,9 kg
125 IDS 125 100 125	125 x 125 mm	3	16,2 kg



TEE WITH LATCH (FEMALE INLET)

Provides a branch in latch type sprinkler irrigation pipes of same/different sizes

063 TDS 063 000 063	63 x 63 mm	35	18 kg
075 TDS 075 000 063	75 x 63 mm	20	15,8 kg
075 TDS 075 100 063	75 x 63 mm	20	16,8 kg
075 TDS 075 000 075	75 x 75 mm	20	19,6 kg
075 TDS 075 100 075	75 x 75 mm	20	20,8 kg
090 TDS 090 000 075	90 x 75 mm	15	17,7 kg
090 TDS 090 100 075	90 x 75 mm	15	18,8 kg
090 TDS 090 000 090	90 x 90 mm	15	19,4 kg
090 TDS 090 100 090	90 x 90 mm	15	20,7 kg
110 TDS 110 100 075	110 x 75 mm	10	17,4 kg
110 TDS 110 100 090	110 x 90 mm	8	14,2 kg
110 TDS 110 100 110	110 x 110 mm	8	16,3 kg
125 TDS 125 100 075	125 x 75 mm	6	19 kg
125 TDS 125 100 090	125 x 90 mm	5	16,3 kg
125 TDS 125 100 110	125 x 110 mm	5	16,9 kg
125 TDS 125 100 125	125 x 125 mm	5	20,6 kg



REDUCER WITH LATCH (FEMALE INLET)

Joins latch type sprinkler irrigation pipes of different sizes

Product code	Size	Sack quantity	Sack weight
075 RDS 075 000 050	75 x 50 mm	50	20,1 kg
075 RDS 075 100 050	75 x 50 mm	50	23 kg
075 RDS 075 000 063	75 x 63 mm	50	22,2 kg
075 RDS 075 100 063	75 x 63 mm	50	24,7 kg
090 RDS 090 000 075	90 x 75 mm	25	17,8 kg
090 RDS 090 100 075	90 x 75 mm	25	19,7 kg
110 RDS 110 100 075	110 x 75 mm	20	19,2 kg
110 RDS 110 100 090	110 x 90 mm	15	15,5 kg
125 RDS 125 100 075	125 x 75 mm	12	18,3 kg
125 RDS 125 100 090	125 x 90 mm	12	19,3 kg
125 RDS 125 100 110	125 x 110 mm	10	18,6 kg



TEE WITH LATCH (MALE INLET/ REVERSE)

Provides a branch in latch type sprinkler irrigation pipes of same/different sizes

063 TED 063 000 063	63 x 63 mm	35	15,8 kg
075 TED 075 000 075	75 x 75 mm	20	18 kg
075 TED 075 001 075	75 x 75 mm	20	20,1 kg
090 TED 090 000 090	90 x 90 mm	15	18,3 kg
090 TED 090 001 090	90 x 90 mm	15	20,4 kg
110 TED 110 001 110	110 x 110 mm	8	15,2 kg
125 TED 125 001 125	125 x 125 mm	5	20,2 kg



TEE WITH LATCH (FEMALE INLET/ REVERSE)

Provides a branch in latch type sprinkler irrigation pipes of same/different sizes

063 TDE 063 000 063	63 x 63 mm	35	18 kg
075 TDE 075 000 075	75 x 75 mm	20	19,7 kg
075 TDE 075 100 075	75 x 75 mm	20	20,8 kg
090 TDE 090 000 090	90 x 90 mm	15	19,5 kg
090 TDE 090 100 090	90 x 90 mm	15	20,6 kg
110 TDE 110 100 110	110 x 110 mm	8	16,3 kg
125 TDE 125 100 125	125 x 125 mm	5	20,5 kg

SPRINKLER IRRIGATION FITTINGS



LATCH TYPE GASKET

Used to connect latch type
male to female

Product code	Size	Bundle quantity	Bundle weight
050 MCO 050 000 000	50 mm	100	0,95 kg
063 MCO 063 000 000	63 mm	50	0,83 kg
075 MCO 075 000 000	75 mm	50	1,18 kg
090 MCO 090 000 000	90 mm	50	1,87 kg
110 MCO 110 000 000	110 mm	50	3 kg
125 MCO 125 000 000	125 mm	50	3,8 kg
140 MCO 140 000 000	140 mm	50	5,86 kg
160 MCO 160 000 000	160 mm	50	7,53 kg



HEADQUARTERS

Orhan Gazi Mah. Isiso San. Sit.
15. Yol Y Blok No: 33 34538
Esenyurt, İstanbul, Turkey
+90 212 623 23 08

FACTORY

Organize Sanayi Bölgesi Bursa
Karayolu 6. km. 2. Cd. No: 2
Çanakkale, Turkey
+90 286 214 32 07

Website www.sunstream.com.tr | **Support** info@sunstream.com.tr

© 2022 İSKO Plastik ve Kalıp San. Tic. A.Ş.