



FILTRATION & FERTIGATION
HYDROCYCLONES & FERTILIZER TANKS

FILTRATION & FERTIGATION

HYDROCYCLONES & FERTILIZER TANKS



METAL HYDROCYCLONE

Body material: S195T
 Max working pressure: 8 bar
 Max working temperature: 60 °C

Product code	Size	Dimensions	Flow
063 FMH 025 280 X30	2"	Ø280 x 1300 mm	25 m ³ /h
075 FMH 035 280 X30	2 ½"	Ø280 x 1300 mm	35 m ³ /h
090 FMH 050 280 X30	3"	Ø280 x 1300 mm	50 m ³ /h
110 FMH 070 330 X40	4"	Ø330 x 1400 mm	70 m ³ /h
140 FMH 100 380 X50	5"	Ø380 x 1500 mm	100 m ³ /h
160 FMH 140 430 X80	6"	Ø430 x 1800 mm	140 m ³ /h



VERTICAL METAL FERTILIZER TANK

Body material: S195T
 Max working pressure: 8 bar
 Max working temperature: 60 °C

050 FVT 050 380 350	50 l	Ø380 x 350 mm	-
070 FVT 070 380 500	70 l	Ø380 x 500 mm	-
100 FVT 100 440 550	100 l	Ø440 x 550 mm	-
150 FVT 150 440 800	150 l	Ø440 x 800 mm	-
300 FVT 300 600 850	300 l	Ø600 x 850 mm	-



HORIZONTAL METAL FERTILIZER TANK

Body material: S195T
 Max working pressure: 8 bar
 Max working temperature: 60 °C

100 FRT 100 440 550	100 l	Ø440 x 550 mm	-
200 FRT 200 600 550	200 l	Ø600 x 550 mm	-
300 FRT 300 600 850	300 l	Ø600 x 850 mm	-



METAL FERTILIZER ADAPTOR

Body material: S195T
 Max working pressure: 8 bar
 Max working temperature: 60 °C

063 FRA M20 000 M20	2"	-	-
075 FRA M23 000 M23	2 ½"	-	-
090 FRA M30 000 M30	3"	-	-
110 FRA M40 000 M40	4"	-	-



HEADQUARTERS

Orhan Gazi Mah. Isiso San. Sit.
15. Yol Y Blok No: 33 34538
Esenyurt, İstanbul, Turkey
+90 212 623 23 08

FACTORY

Organize Sanayi Bölgesi Bursa
Karayolu 6. km. 2. Cd. No: 2
Çanakkale, Turkey
+90 286 214 32 07

Website www.sunstream.com.tr | **Support** info@sunstream.com.tr

© 2022 İSKO Plastik ve Kalıp San. Tic. A.Ş.